## **EURASIAN CURLEW**

SUURKOOVITAJA

## NUMENIUS ARQUATA - Eurasian Curlew

In Estonia it is a 3rd category protegee of species (2012).

The Eurasian curlew or common curlew is a wader in large family Scolopacidae.

It is on of the most widespread of the curlews.

Arrives to Estonia in March - April

Is the largest wader in its range, at 50-60 cm in length, with an 89-106 cm wingspan and body weight of 410- 1,360 g.

It is mainly greyish brown, with a white back, greyish-blue legs and a very long curved bill.

It is generally wary, lays 3-6 eggs April-May, incubates them about month







Males and females look identical, but the bill in longest in the adult female. Familiar call is a loud curloo-oo





**Clutch of eggs** 

In flight

## Skull



The curlew exists as a migratory (rände-) species over most of its range.

The nests is a bare scrape (maapinnale) on taiga, meadow (niit, luht, heinamaa) and similar habitats. Curlews tend to nest close to kestrel's (tuuletallaja) nests, as they can offer protection from predators, such as corvids (corvus-vares), even though kestrel's also predate curlews nests.

Highly gregarious (karjas elav, seltskondlik) outside the breeding season.

https://www.youtube.com/watch?v=Ws7jH6wNKN4

The Eurasian curlew feeds by probing (sondeerides) soft mud for small invertebrates (selgrootud), small crabs and earthworms (vihmauss).

Though it is a common bird, its numbers are noticeably declining.